



Savienojums 1  
 Metriska uzgriežņa vītne  
 Modelis  
 Uzmavuzgrieznis  
 Standarts  
 DIN 3870  
 Materiāls  
 Tērauds  
 Virsmas aizsardzība  
 galvaniskais pārklājums

## Produkts

Apzīmējums	Sērija	Ø d2 mm	G1	L1 mm	S1
UEM 04 LL	LL	4.0	M 8 x 1	11.5	10
UEM 05 LL	LL	5.0	M 10 x 1	12.0	12
UEM 06 LL	LL	6.0	M 10 x 1	12.0	12
UEM 08 LL	LL	8.0	M 12 x 1	12.5	14
UEM 10 LL	LL	10.0	M 14 x 1	13.5	17
UEM 12 LL	LL	12.0	M 16 x 1	13.5	19
UEM 16 LL	LL	16.0	M 22 x 1.5	17.5	27
UEM NW 04 L	L	6.0	M 12 x 1,5	15.0	14
UEM NW 06 L	L	8.0	M 14 x 1.5	15.0	17
UEM NW 08 L	L	10.0	M 16 x 1.5	16.0	19
UEM NW 10 L	L	12.0	M 18 x 1,5	16.0	22
UEM NW 13 L	L	15.0	M 22 x 1.5	17.5	27
UEM NW 16 L	L	18.0	M 26 x 1,5	18.5	32
UEM NW 16 L 27	L	18.0	M 27 x 2	18.0	32
UEM NW 20 L	L	22.0	M 30 x 2	20.5	36
UEM NW 25 L	L	28.0	M 36 x 2	21.5	41
UEM NW 32 L	L	35.0	M 45 x 2	24.5	50
UEM NW 40 L	L	42.0	M 52 x 2	24.5	60
UEM NW 03 S	S	6.0	M 14 x 1.5	17.0	17
UEM NW 04 S	S	8.0	M 16 x 1.5	17.0	19
UEM NW 06 S	S	10.0	M 18 x 1,5	18.0	22
UEM NW 08 S	S	12.0	M 20 x 1.5	18.0	24
UEM NW 10 S	S	14.0	M 22 x 1.5	21.0	27
UEM NW 13 S	S	16.0	M 24 x 1.5	21.0	30
UEM NW 16 S	S	20.0	M 30 x 2	24.5	36
UEM NW 20 S	S	25.0	M 36 x 2	27.5	46
UEM NW 25 S	S	30.0	M 42 x 2	29.5	50
UEM NW 32 S	S	38.0	M 52 x 2	33.0	60

Sērija: LL = ļoti vieglā L = vieglā S = smagā

PN = nominālais spiediens PB = maks. ekspluatācijas spiediens

Ø d2 = caurules ārējais diametrs